

# Contents

Page No

## Chapter 1

Introduction.....1-38

**1.1 Chemistry of Schiff bases** 2

1.1.1 Formation of Schiff bases 3

1.1.2 Denticity and basicity of Schiff bases 6

1.1.3 Applications of Schiff bases and their complexes 8

**1.2 Quinoxaline Schiff bases** 13

1.2.1 Transition metal complexes of quinoxaline Schiff bases 15

1.2.2 Applications of complexes of quinoxaline backbone 16

**1.3 Applications of transition metal Schiff base complexes as catalyst for organic transformations** 17

1.3.1 General reactions catalyzed by Schiff base complexes 18

1.3.2 Hydroxylation of phenol 22

1.3.3 Oxidation of cyclohexane 25

1.3.4 Oxidation of benzyl alcohol 27

**Scope of the present investigation** 28

**References** 29

## Chapter 2

Experimental techniques and synthesis of aldehydes.....39-49

**2.1 Introduction** 39

**2.2 Reagents** 39

**2.3 Synthesis of aldehydes** 40

2.3.1 Synthesis of quinoxaline – 2– carboxaldehyde 40

2.3.2 Synthesis of 3-hydroxyquinoxaline – 2– carboxaldehyde 41

**2.4 Preparation of Schiff bases** 43

<b>2.5 Characterization techniques</b>	<b>43</b>
2.5.1 CHN analysis	43
2.5.2 Estimation of metal ions	44
2.5.3 Estimation of chloride	44
2.5.4 Conductance Measurements	45
2.5.5 Electronic spectra	45
2.5.6 IR Spectra	45
2.5.7 NMR spectra	46
2.5.8 EPR spectra	46
2.5.9 Magnetic susceptibility measurements	46
2.5.10 Thermogravimetric analysis	47
2.5.11 Single crystal XRD	47
2.5.12 Gas Chromatography	48
<b>References</b>	<b>48</b>

### *Chapter 3*

<b>Quinoxaline–2–carboxalidine–2–amino–5–methylphenol complexes of manganese(II), iron(III), cobalt(II), nickel(II), copper(II) and zinc(II).....</b>	<b>50-82</b>
---	--------------

<b>3.1 Introduction</b>	<b>50</b>
<b>3.2 Experimental</b>	<b>51</b>
3.2.1 Materials and methods	51
3.2.2 Synthesis of quinoxaline–2–carboxalidine–2–amino–5–methylphenol (qamp)	51
3.2.3 Preparation of Complexes	52
<b>3.3 Results and discussion</b>	<b>52</b>
3.3.1 <sup>1</sup> H NMR spectra of the qamp and [Zn(qamp) <sub>2</sub> ].2H <sub>2</sub> O	54
3.3.2 Magnetic susceptibility measurements	55
3.3.3 Infrared spectra	56
3.3.4 Electronic spectra	61
3.3.5 Thermal analysis	64
3.3.6 EPR spectra	69
3.3.7 Crystal structure analysis	71
<b>3.4 Conclusions</b>	<b>78</b>
<b>References</b>	<b>80</b>

## Chapter 4

Template synthesis and spectral characterization of quinoxaline– 2–  
carboxalidine–L–histidine complexes of manganese(II), iron(III),  
cobalt(II), nickel(II), copper(II) and zinc(II).....83-104

<b>4.1 Introduction</b>	<b>83</b>
<b>4.2 Experimental</b>	<b>84</b>
4.2.1 Materials and methods	84
4.2.2 Preparation of Complexes	84
<b>4.3 Results and discussion</b>	<b>86</b>
4.3.1 Magnetic susceptibility measurements	87
4.3.2 Infrared spectra	87
4.3.3 Electronic spectra	91
4.3.4 Thermal analysis	95
4.3.5 EPR spectra	98
4.3.6 <sup>1</sup> H NMR spectrum of [Zn(qlh)(OAc)].2H <sub>2</sub> O	101
<b>4.4 Conclusions</b>	<b>102</b>
<b>References</b>	<b>103</b>

## Chapter 5

3-Hydroxyquinoxaline–2–carboxalidine–2–amino–5–methylphenol  
complexes of manganese(II), iron(III), cobalt(II), nickel(II),  
copper(II) and zinc(II).....105-128

<b>5.1 Introduction</b>	<b>105</b>
<b>5.2 Experimental</b>	<b>106</b>
5.2.1 Materials and methods	106
5.2.2 Synthesis of 3-{(E)-[(2-hydroxy-4-methylphenyl)imino]methyl} quinoxalin-2(1H)-one (hamp)	107
5.2.3 Preparation of Complexes	107
<b>5.3 Results and discussion</b>	<b>108</b>
5.3.1 <sup>1</sup> H NMR spectrum of hamp and [Zn(hamp)(H <sub>2</sub> O)]	109
5.3.2 Magnetic susceptibility measurements	111
5.3.3 Infrared spectra	111

5.3.4 Electronic spectra	116
5.3.5 Thermal analysis	121
5.3.6 EPR spectra	124
<b>5.4 Conclusions</b>	<b>125</b>
<b>References</b>	<b>126</b>

## *Chapter 6*

<b>3-Hydroxyquinoxaline-2-carboxalidine-2-aminothiophenol complexes of manganese(II), cobalt(II), nickel(II), copper(II) and zinc(II).....</b>	<b>129-153</b>
--	----------------

<b>6.1 Introduction</b>	<b>129</b>
<b>6.2 Experimental</b>	<b>131</b>
6.2.1 Materials and methods	131
6.2.2 Preparation of 3-(2,3-Dihydro-1,3-benzothiazol-2-yl)quinoxalin-2(1 <i>H</i> )-one	131
6.2.3 Preparation of Complexes	131
<b>6.3 Results and discussion</b>	<b>132</b>
6.3.1 <sup>1</sup> H NMR spectra of btq and [Zn(hatp)(OAc)]	134
6.3.2 Magnetic susceptibility measurements	136
6.3.3 Infrared spectra	136
6.3.4 Electronic spectra	141
6.3.5 Thermal analysis	144
6.3.6 EPR spectra	148
<b>6.4 Conclusions</b>	<b>149</b>
<b>References</b>	<b>150</b>

## *Chapter 7*

<b>Catalytic activity of the Schiff base complexes in some oxidation reactions.....</b>	<b>154-178</b>
---	----------------

<b>7.1 Schiff base complexes as catalyst towards the liquid phase catalytic hydroxylation of phenol</b>	<b>155</b>
7.1.1 Introduction	155
7.1.2. Experimental	156

7.1.3. Results and discussion	156
7.1.4 Conclusions	161
<b>7.2 Schiff base complexes as catalyst towards the oxidation of cyclohexane</b>	<b>162</b>
7.2.1 Introduction	162
7.2.2 Experimental	163
7.2.3 Results and discussion	164
7.2.4 Conclusions	169
<b>7.3 Copper(II) Schiff base complexes as catalyst towards the oxidation of benzyl alcohol</b>	<b>169</b>
7.3.1 Introduction	169
7.3.2. Experimental	170
7.3.3. Results and discussion	171
7.3.4 Conclusions	174
<b>References</b>	<b>175</b>
<b>Conclusions and future prospects</b>	<b>179</b>
<b>List of publications</b>	